


FUTURA TOP JUNIOR



Cultivator with hydraulic side widening, central spring with reversible ploughshares and sides fins, 2 front ramps with reversible ploughshares and external fins

Pumps connected directly to the tractor power take-off

Kit including multiplier triple pump, hoses, filters, tank and oil

Double heat exchanger with double thermostat

18-channel multifunction electronic control unit

Electro-hydraulic distributor to control 5 double effect cylinders

45 cm RH and LH side inter-row blades with 7+1 multifunction joystick for separate and simultaneous manual emergency blade return









Bulldozer-like tilling spur with lateral fin

Hydraulic roller adjustment with multifunction joystick

RH hydraulic ascent and descent system with multifunction joystick

LH hydraulic ascent and descent system with multifunction joystick

20+20 cm RH and LH side widening with multifunction joystick

Model								
Futura TOP Junior	1120	30 - 50	3	20 + 20	93 / 133	20	120 / 160	600



Optional

- CODE 1163 - Extra charge for folding roller with 2 quick tractor couplings (2 hydraulic cylinders roll-over and adjustment - optional applicable only when ordering)

- CODE 1164 - Electro-mechanic adjustment depth holes roller system (optional applicable only when ordering)

- CODE 1052 - RH button for feeler pin deactivation to work with the utensil in the tall grass, to avoid that the feeler pin goes back in when is not necessary (applicable only during the order)

- CODE 1053 - LH button for feeler pin deactivation to work with the utensil in the tall grass, to avoid that the feeler pin goes back in when is not necessary (applicable only during the order)

- CODE 0698 - RH hydraulic inter-row inclination with 2 quick tractor couplings. Dimension cm 6,5

- CODE 0724 - LH hydraulic inter-row inclination with 2 quick tractor couplings. Dimension cm 6,5

- CODE 1056 - RH hydraulic inter-row inclination with 1 double effect cylinder. Dimension cm 6,5 (applicable only during the order)

- CODE 1057 - LH hydraulic inter-row inclination with 1 double effect cylinder. Dimension cm 6,5 (applicable only during the order)

- CODE 0982 - Blade with clod breaker, fin and feeler pin cm 45 (additionally at the standard blade)

- CODE 0695 - Blade with clod breaker, fin and feeler pin cm 65 (additionally to standard blade)
- CODE 1160 - RH non-stop feeler pin holder
- CODE 1161 - LH non-stop feeler pin holder
- CODE 1085 - RH oscillating feeler pin holder adjustable in height
- CODE 1086 - LH oscillating feeler pin holder adjustable in height
- CODE 1187 - RH 45 cm inter-row plant lifting ploughshare
- CODE 1188 - LH 45 cm inter-row plant lifting ploughshare
- CODE 1268 - RH 55 cm inter-row plant lifting ploughshare
- CODE 1269 - LH 55 cm inter-row plant lifting ploughshare
- CODE 1157 - LH no traction bulldozer-disk diam. 320
- CODE 0488 - RH no traction bulldozer-disk diam. 320
- CODE 1267 - Adjustable no-traction universal rounded tiller discs
- CODE 1265 - Universal no traction adjustable ridger bit discs

[Print this page](#)