

# SAN SALVO TOP



Cultivator with 30x30 spiral spring and cage rollers

Pumps connected directly to the tractor power take-off (for rubber-tired and crawler tractors)

Kit including multiplier double pump, hoses, filter, tank and oil

Single heat exchanger with double thermostat

Multifunction electronic control unit

65 cm RH side inter-row blade with multifunction joystick for manual emergency blade return

4,5 - 21 - 26 cm ploughshares (to specify during the order)

60 or 100 cm right lateral expansion with cage roller

Separately hydraulic roller adjustment with multifunction joystick

Hinge and piston for lateral widening hydraulic roll-over with multifunction joystick

RH and LH depth adjustment wheels with bearings (each)

Sled for terrain with stones or superficial roots

**Model**



<b>San Salvo TOP 10</b>	0757	60 - 70	10	53	220	20	700
<b>San Salvo TOP 12</b>	0758	60 - 80	12	53	265	20	750



## Optional

- CODE 0723 - Extension protective casing for Basic cultivator

- CODE 1335 - Set 10 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

- CODE 1337 - Set 12 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

- CODE 1052 - RH button for feeler pin deactivation to work with the utensil in the tall grass, to avoid that the feeler pin goes back in when is not necessary (applicable only during the order)

- CODE 0698 - RH hydraulic inter-row inclination with 2 quick tractor couplings. Dimension cm 6,5

- CODE 0942 - Blade with clod breaker, fin and feeler pin cm 55 (additionally to the standard blade)

- CODE 0696 - Blade with clod breaker, fin and feeler pin cm 85 (additionally to standard blade)

- CODE 1160 - RH non-stop feeler pin holder

- CODE 1085 - RH oscillating feeler pin holder adjustable in height

- CODE 1050 - RH stump cleaner for inter-row kit (applicable simultaneously at following inter-row tools: inter-row blade, plant lifting ploughshare, circular cutter, rotary plant lifter and traction disk set)

- CODE 1187 - RH 45 cm inter-row plant lifting ploughshare

- CODE 1268 - RH 55 cm inter-row plant lifting ploughshare

- CODE 1266 - Universal no traction adjustable rounded tiller disc

- CODE 0488 - RH no traction bulldozer-disk diam. 320

- CODE 1264 - Universal no traction adjustable ridger bit disc

- CODE 1312 - Universal no traction adjustable serrated ridger 2-discs complete with cleaner on first disk

[Print this page](#)