

VITTORIA B



Cultivator with 30x30 spiral spring and cage roller

Kit including multiplier single pump, hoses, filter, tank and oil

Single heat exchanger with double thermostat

Electronic control unit with alarm








55cm RH side inter-row blade with single-channel joystick for manual emergency blade return

Bulldozer-like tilling spur


4,5 - 21 - 26 cm ploughshare (to specify during the order)

Rear roller mechanical adjustment

RH and LH depth adjustment wheels with bearings (cannot be installed upon Vittoria 3, 4 and 5)

Model	 CODE						 Kg.
Vittoria B 3	0734	30 - 40	3	53	85	20	420

Vittoria B 4	0735	30 - 40	4	53	105	20	435
Vittoria B 5	0736	30 - 40	5	53	135	20	450
Vittoria B 6	0737	40 - 70	6	53	150	20	465
Vittoria B 7	0738	40 - 70	7	53	165	20	490
Vittoria B 8	0739	60 - 80	8	53	190	20	505
Vittoria B 9	0740	60 - 80	9	53	205	20	520



Optional

- CODE 0659 - Hydraulic roller adjustment with 2 quick tractor couplings

- CODE 1328 - RH and LH set 3 kit adapters in boron steel complete of reversible chisel and laterals fins

- CODE 1329 - Set 4 kit adapters in boron steel complete of reversible chisel and RH and LH laterals fins

- CODE 1330 - Set 5 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

- CODE 1331 - Set 6 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

- CODE 1332 - Set 7 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

- CODE 1333 - Set 8 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

- CODE 1334 - Set 9 kit adapters in boron steel complete of reversible chisels and RH and LH laterals fins

--10

- CODE 1052 - RH button for feeler pin deactivation to work with the utensil in the tall grass, to avoid that the feeler pin goes back in when is not necessary (applicable only during the order)

- CODE 0698 - RH hydraulic inter-row inclination with 2 quick tractor couplings. Dimension cm 6,5

- CODE 1048 - RH inter-row hydraulic ascent and descent system stroke 20 cm PATENTED, with 2 quick tractor couplings. Dimension cm 10

- CODE 0982 - Blade with clod breaker, fin and feeler pin cm 45 (additionally at the standard blade)

- CODE 0695 - Blade with clod breaker, fin and feeler pin cm 65 (additionally to standard blade)

- CODE 1160 - RH non-stop feeler pin holder

- CODE 1085 - RH oscillating feeler pin holder adjustable in height

- CODE 1050 - RH stump cleaner for inter-row kit (applicable simultaneously at following inter-row tools: inter-row blade, plant lifting ploughshare, circular cutter, rotary plant lifter and traction disk set)

- CODE 0483 - RH sled for terrain with stones or superficial roots

- CODE 1187 - RH 45 cm inter-row plant lifting ploughshare

- CODE 1268 - RH 55 cm inter-row plant lifting ploughshare

- CODE 1266 - Universal no traction adjustable rounded tiller disc

- CODE 0488 - RH no traction bulldozer-disk diam. 320

- CODE 1264 - Universal no traction adjustable ridger bit disc

- CODE 1312 - Universal no traction adjustable serrated ridger 2-discs complete with cleaner on first disk

[Print this page](#)